

HIHAUS

HIHAUS COMPANY LTD

Website: <https://www.hihausbm.com/>

Office address: 19th Floor, Central Plaza, Jianshe Road No.18Yuexiu Guangzhou Guangdong China
Factory address: Xingye North Road, Hongsha Industrial Zone Shishan Town, Nanhai District Foshan
TEL: +8618922126334



HIHAUS

-  **800+** Skilled workers
-  **20+years** Manufacture experience
-  **123,000m²** Factory production area

HIHAUS COMPANY LTD

INDEX

About us	001 ~ 006
60 Series Sliding Window	007 ~ 008
115 Series Sliding Window	009 ~ 010
65 Series Folding Door	011 ~ 012
80 Series Folding Door	013 ~ 014
105 Series 3.0 Folding Door	015 ~ 016
77 Series Folding Door	017 ~ 018
65 Series Casement Window	019 ~ 020
86 Series Casement Window	021 ~ 022
M100 Series Casement Window	023 ~ 024
85 Series Thermal Break	025 ~ 026
105 Series Thermal Break	027 ~ 028
108 Series Thermal Break	029 ~ 030
103 Series Thermal Break	031 ~ 032
122 Series Thermal Break	033 ~ 034
N100 Series Thermal Break	035 ~ 036
40/60 Series Interior	037 ~ 038
115 Interior Sling Door	039 ~ 040
115 Casement Door	041 ~ 042
70 Series Non Thermal break	043 ~ 044
135 Narrow	045 ~ 046
135 Series Thermal break	047 ~ 048
95 Series Thermal break	049 ~ 054
Garage Doors	055 ~ 058
Interior Door	059 ~ 060
Exterior Door Series	061 ~ 064
Glass Railings	065 ~ 066

Opening Mode	067 ~ 068
Interior Door	069 ~ 070
Selection of color	071 ~ 072
Curtain Wall	073 ~ 074

ABOUT US

Our History

Our founder established the factory in 2004, aiming to provide quality windows and doors to let the houses protect more families. And today, his two sons inherit his will, and keep extending the reputation to over sea. Our factory is having now more than 19 years of experience in providing one of China's top 10 branding products. Our factory is located in Foshan, China, with production facilities of more than 123,000 m².

123000m²+

Workshop size

800+

Skilled workers

500000m²+

Annual capacity

2004

Group founding



Our Mission

Better Service, More Value.

Business Scope

Aluminum windows and doors, curtain walls, wooden doors, shower doors, entry doors, handrails, garage door.

Main Markets

China, the Americas, Southeast Asia, Middle East, Australia.

Team Introduction

Highly trained and experienced R&D and quality control teams, and 831 skilled workers actively engaged to create high-end products for you.




Automatic cutting and code scanning



Automatic tapping

SALES NETWORK

Countries & Regions




Main Markets

China, the Americas, Southeast Asia, Middle East, Australia.



CUSTOMER

FEEDBACK & CASES



WHOLE HOUSE SPACE SOLUTIONS

Create A Comfortable And Warm Environment For You



01 Living Room

- Casement Windows Good Ventilation Effect
- Sliding Windows With Net To Protect Against Mosquitoes

02 Bedroom

- Casement Windows Good Ventilation Effect
- Sliding Windows With Net To Protect Against Mosquitoes

03 Kitchen

- Sliding Doors Smoke Blocking
- Sliding Windows With Net To Protect Against Mosquitoes

05 Bathroom

- Casement Windows Good Ventilation
- Sliding Windows Good Air Circulation
- Casement Doors Good Sealing Performance

04 Bathroom

- Casement Windows Safe And Fall Resistant
- Casement Doors Good Sound Insulation

06 Balcony

- Tilt & Turn Windows Good Air Circulation
- Sliding Doors Wide Field Of Vision

60 SERIES NON THERMAL BREAK

SLIDING WINDOW (1.2mm)

Product Data

Glass Panel	60 x 28mm
Recommend Size	800 x 1500mm(31 ½ inch · 59inch)
Wall Thickness	110mm (4 ⅓ inch)
Glass Notch	22mm
Standard Glass	4mm + 12A + 4mm
Hardware	German HOPPE (Blck/Slivev)
Mosquito Net	304 Stainless Steel Net



Hardware Configuration



Sliding Windows Key
(Silver / Gold /Black)




High Load
Bearing Pulley



Anti-Balance
Wheel On Rail



Stainless steel 304
security mesh

 Optional color please see last page



115 SERIES THERMAL BREAK

SLIDING WINDOW (2.0mm)

Product Data

Glass Panel	55 x 45mm
Recommend Size	(500 - 1600) x (600 - 1800)mm (19 ² / ₃ · 63) x (25 ⁵ / ₈ - 70 ⁷ / ₈) inch
Wall Thickness	115 / 148mm (4 ¹ / ₂ / 5 ⁵ / ₈)inch
Glass notch	34mm
Standard Glass	5mm + 20A + 5mm
Hardware	China Brand
Mosquito Net	304 Stainless Steel Net

Hardware Configuration



Sliding Windows Key
(Silver / Gold /Black)



High Load
Bearing Pulley



Anti-Balance
Wheel On Rail



Stainless steel 304
security mesh

 Optional color please see last page






65 SERIES NON THERMAL BREAK FOLDING DOOR


Product Data

Glass Panel	45 x 50mm
Recommend Size	800 x 1500mm(31 ½ x 59 inch)
Wall Thickness	65mm(2 ⅝ inch)
Glass notch	31mm
Standard Glass	5mm + 20A + 5mm
Hardware	China Brand
Mosquito Net	N / A -PP Net (optional)
Open Way	Folding

Optional Color



Hardware Configuration





Optional Color



**80 SERIES
FOLDING DOOR**

1.7mm Non-Thermal Break	2.0mm Thermal Break
<p>Glass Panel Maximum Size</p> <p>3200*900mm 118 1/8 * 35 1/2 inch</p> <p>Recommend Size</p> <p>Height within 3200mm (126 inch) Door leaf width within 1000mm (39 3/8 inch)</p>	<p>Glass Panel Maximum Size</p> <p>3000*900mm 118 1/8 * 35 1/2 inch</p> <p>Recommend Size</p> <p>Height within 3200mm (126 inch) Door leaf width within 1000mm (39 3/8 inch)</p>

Product Data

Wall Thickness	80mm (3 1/2 inch)
Glass notch	31mm
Standard Glass	5mm+18A+5mm
Hardware	China Top Quality Hardware
Mosquito Net	PP Net (optional)
Open Way	Folding

Hardware Configuration






105 SERIES 3.0 FOLDING DOOR

Non-thermal break:	Thermal break:
Glass Panel Maximum Size 4727*954mm 186 7/8 * 37 3/4 inch	Glass Panel Maximum Size 3727*954mm 146 7/8 * 37 3/4 inch
Recommend Size Height within 5000mm(196 7/8inch) door leaf width within 1100mm (43 3/8inch)	Recommend Size Height within 4000mm(157 1/2inch) door leaf width within 1100mm(43 3/8inch)



Product Data

Wall Thickness	120mm(4 5/8 inch)
Glass notch	42mm
Standard Glass	6+25A+6mm
Hardware	China brand
Mosquito Net	Optional
Open Way	Folding

Optional Color



Hardware Configuration



Door left Heavy Duty Strong Rollers



Epdm Sealing Strip



Deadbolt Handle Lock



77 SERIES THERMAL BREAK BI FOLDING DOOR

Product Data

Glass Panel	58 x 68mm
Recommend Size	900 x 3000mm (35 3/4 x 118 1/2 inch)
Wall Thickness	77mm (3inch)
Glass notch	33mm
Standard Glass	5mm + 20A + 5mm
Hardware	Germany Kerssenberg
Mosquito Net	PP Net (optional)



Hardware Configuration



 Optional color please see last page

65 SERIES THERMAL BREAK

CASEMENT WINDOW

Product Data

Aluminum Thickness	1.6 mm
Glass Panel	78 x 66mm (Out Swing)(3 1/9 x 2 2/3 inch) 76 x 75mm (Tilt & Turn)(3 x 3inch)
Recommend Size	800 x 1500mm(31 1/2 x 59 inch)
Wall Thickness	65mm(2 5/9 inch)
Glass notch	38mm
Standard Glass	5mm + 20A + 5mm Double Clear Tempered Glass
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net

Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)




D1Y Handle
(Gold / Silver / Black)




German hardware fittings



Stainless steel 304 security mesh

 Optional color please see last page



86 SERIES THERMAL BREAK

CASEMENT WINDOW

Product Data

Aluminum Thickness	1.4mm
Glass Panel	80 x 44mm (3 1/2 x 1 3/4 inch)
Recommend Size	800 x 1400mm(31 1/2 x 55 1/8 inch)
Wall Thickness	86mm(3 3/8 inch)
Glass notch	35mm
Standard Glass	5mm + 20A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net



Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)



D1Y Handle
(Gold / Silver / Black)



German hardware
fittings



Stainless steel 304
security mesh

 Optional color please see last page



M100 SERIES THERMAL BREAK

CASEMENT WINDOW

Product Data

Aluminum Thickness	1.8mm
Glass Panel	52*77mm (Slim) / 69*54mm (Regular) 2*3 inch (Slim) / 2 5/7*2 1/8 inch (Regular)
Recommend Size	800 x 1500mm(31 1/2 x 59 inch)
Wall Thickness	100mm(3 8/9 inch)
Glass notch	25mm
Standard Glass	5mm + 20A + 5mm
Hardware	China Brand / German Hoppe
Mosquito Net	304 Stainless Steel Net

Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)




D1Y Handle
(Gold / Silver / Black)



German hardware
fittings



Stainless steel 304
security mesh

 Optional color please see last page



85 SERIES THERMAL BREAK

TILT AND TURN WINDOW

Product Data

Aluminum Thickness	1.8mm
Glass Panel	66 x 85mm(2 3/5 x 3 1/3 inch)
Recommend Size	(370 - 1300) x (530 - 2700)mm (14 1/2 - 51 1/6) x (20 7/8 - 106 2/7)inch
Wall Thickness	85mm(3 1/3 inch)
Glass notch	45mm
Standard Glass	5mm + 12A + 5mm + 12A + 5mm
Hardware	German Brand
Mosquito Net	/

Hardware Configuration




D2 Arc Handle
(Gold / Silver / Black)




D1Y Handle
(Gold / Silver / Black)



German hardware fittings

 Optional color please see last page



105 SERIES THERMAL BREAK

TILT AND TURN WINDOW

Product Data

Aluminum Thickness	1.8mm
Glass Panel	66 x 72mm(2 3/8 x 2 5/8 inch)
Recommend Size	(370 - 1300) x (530 - 2700)mm (14 1/2 - 51 1/6) x (20 7/8 - 106 2/3)mm
Wall Thickness	105mm(4 1/8 inch)
Glass notch	45mm
Standard Glass	5mm + 12A + 5mm + 12A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net / HD Net

Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)




D1Y Handle
(Gold / Silver / Black)



German hardware fittings



Stainless steel 304 security mesh

 Optional color please see last page



108 SERIES THERMAL BREAK

CASEMENT WINDOW/DOOR

Product Data

Aluminum Thickness	1.4mm
Glass Panel	86 x 57mm(3 3/8 x 2 1/4 inch)
Recommend Size	800 x 1500mm(31 1/2 x 59 inch)
Wall Thickness	108mm(4 1/4 inch)
Glass notch	37mm(4 7/8 inch)
Standard Glass	5mm + 20A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net

Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)




D1Y Handle
(Gold / Silver / Black)



German hardware fittings



Stainless steel 304 security mesh

 Optional color please see last page





103 SERIES THERMAL BREAK

CASEMENT WINDOW/DOOR

Product Data

Aluminum Thickness	Window 1.6mm / Door 1.8mm
Glass Panel	68 x 88mm (2 ² / ₃ x 3 ⁴ / ₉ inch)
Recommend Size	(450 - 1300) x (650 - 2400)mm (17 ⁵ / ₇ - 51 ¹ / ₆) x (25 ³ / ₅ - 94 ¹ / ₄) inch
Wall Thickness	103mm (4inch)
Glass notch	38mm
Standard Glass	5mm + 20A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net / HD Net



Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)




D1Y Handle
(Gold / Silver / Black)



Stainless steel 304
security mesh

 Optional color please see last page



122 SERIES THERMAL BREAK

CASEMENT WINDOW

Product Data

Aluminum Thickness	1.8mm
Glass Panel	79mm(3 ¹ / ₈ inch)
Recommend Size	750 x 1400mm(29 ¹ / ₂ x 55 ¹ / ₈ inch)
Wall Thickness	122mm
Glass notch	42mm
Standard Glass	5mm + 20A + 5mm + 12A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net / HD Net

Hardware Configuration




D2 Arc Handle
(Gold / Silver / Black)



D1Y Handle
(Gold / Silver / Black)



Stainless steel 304
security mesh

 Optional color please see last page

N100 SERIES THERMAL BREAK

TILT AND TURN WINDOW

Product Data

Aluminum Thickness	1.8mm
Glass Panel	41 x 66mm(1 ⁵ / ₈ x 2 ³ / ₅ inch)
Recommend Size	800 x 1500mm(31 ¹ / ₂ x 59 inch)
Wall Thickness	100mm
Glass notch	42mm
Standard Glass	5mm + 20A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net

Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)



D1Y Handle
(Gold / Silver / Black)




German hardware fittings



Stainless steel 304 security mesh

 Optional color please see last page





40/60 SERIES INTERIOR

SLIDING DOOR

Product Data

Aluminum Thickness	1.2mm
Glass Panel	40 x 40 / 60 x 40mm 1 ³ / ₇ x 1 ³ / ₇ / 2 ³ / ₈ x 1 ³ / ₇ inch
Recommend Size	1000 x 2400 mm (39 ³ / ₈ x 94 ¹ / ₂ inch)
Wall Thickness	105mm / 159mm
Glass notch	30mm
Standard Glass	5mm + 12A / 15A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net



Hardware Configuration



 Optional color please see last page


115 SERIES NARROW FRAME

INTERIOR SLIDING DOOR


Product Data

Aluminum Thickness	2.0mm
Glass Panel	16 x 45mm($\frac{5}{8}$ x $1\frac{7}{8}$ inch)
Recommend Size	1000 x 2600mm (80kg) 39 $\frac{3}{8}$ x 102 $\frac{3}{8}$ inch (80kg)
Wall Thickness	115 / 172mm
Glass notch	25mm
Standard Glass	4mm + 12A + 4mm
Hardware	OPK Brand
Mosquito Net	N / A

Hardware Configuration



Handle Lock
(Silver / Black)

 Optional color please see last page



115 SERIES NARROW FRAME

CASEMENT DOOR

Product Data

Aluminum Thickness	2.0mm
Glass Panel	16 x 45mm($\frac{5}{8}$ x $1\frac{7}{8}$ inch)
Recommend Size	800 x 2200mm($31\frac{1}{2}$ x $86\frac{5}{8}$ inch)
Wall Thickness	64mm($2\frac{1}{2}$ inch)
Glass notch	11mm / 26mm
Standard Glass	4mm + 12A + 4mm
Hardware	China Brand
Mosquito Net	/

Hardware Configuration



Handle
(Gold / Silver / Black)



Hinge
(Gold / Silver / Black)






70 SERIES NON THERMAL BREAK

SLIDING DOOR

Product Data

Aluminum Thickness	1.6 - 1.8mm
Glass Panel	70 x 40.5mm (2 ³ / ₄ x 1 ³ / ₅ inch)
Recommend Size	1200 x 2800mm (47 ¹ / ₄ x 110 ¹ / ₄ inch)
Wall Thickness	105mm / 159mm (4 ¹ / ₈ / 6 ¹ / ₄ inch)
Glass notch	30mm
Standard Glass	5mm + 15A + 5mm
Hardware	China Brand
Mosquito Net	304 Stainless Steel Net



Hardware Configuration



 Optional color please see last page

135 NARROW THERMAL BREAK


SLIDING DOOR

Product Data

Aluminum Thickness	2.5-3.0mm
Glass Panel	26*59/119mm(1 x 2 $\frac{2}{3}$ / 4 $\frac{2}{3}$ inch)
Recommend Size	3500mm x (3000-4500)mm (137 $\frac{1}{3}$ x (118 $\frac{1}{9}$ - 177 $\frac{1}{6}$) inch
Wall Thickness	135mm(5 $\frac{1}{3}$ inch)
Glass notch	37mm
Standard Glass	8mm+20A+8mm
Hardware	China brand/ Electric system
Mosquito Net	Optional PP net

Hardware Configuration



 Optional color please see last page



135 SERIES THERMAL BREAK

SLIDING DOOR

Product Data

Aluminum Thickness	2.0 - 2.5mm
Glass Panel	76 x 56mm(3 x 2 1/5 inch)
Recommend Size	(1000 - 2500) x (1800 - 3000)mm (39 3/8 - 98 3/7) x (70 7/8 - 118 1/9) inch
Wall Thickness	135 - 204mm(5 1/3 - 8 inch)
Glass notch	37mm
Standard Glass	5mm + 20A + 5mm
Hardware	China Brand /German Brand
Mosquito Net	304 Stainless Steel Net

Hardware Configuration



GERMAN Lifting
And Security
Locking System



High Load
Bearing Pulley



Anti-Balance
Wheel On Rail



No.13 Handle
(Gold / Silver)




Safety Four
Point Lock



Sliding Door Key
(Gold / Silver/Black)



 Optional color please see last page

95 SERIES THERMAL BREAK

SLIDING DOOR


Product Data

Aluminum Thickness	2.0 - 2.5mm
Glass Panel	95 x 55mm (3 ³ / ₄ x 2 ¹ / ₈ inch)
Recommend Size	(1000 - 2000) x (1800 - 3000)mm (39 ⁷ / ₈ - 78 ¹ / ₉) x (70 ⁷ / ₈ - 118 ¹ / ₉)inch
Wall Thickness	148 / 220mm(5 ⁵ / ₈ / 8 ² / ₃ inch)
Glass notch	38mm
Standard Glass	5mm + 20A + 5mm
Hardware	China / USA brand
Mosquito Net	304 Stainless Steel Net



Hardware Configuration




 Optional color please see last page

HIHAUS HOT SALE PRODUCTS

GARAGE DOOR



Aluminum glass garage door




Galvanized steel garage door



European-Style garage door



Frameless glass garage doors



• Wire Wheel



• Torsion Spring



• Center Hinge



• Bottom Bracket and Roller





GARAGE DOOR PRODUCT DATA

Product Data

Aluminum Thickness	3.0mm
Glass Panel	2483*541mm
Recommend Size	2488*2184mm
Wall Thickness	100mm/150mm
Standard Glass	Single 5mm/3mm+0.3pvb+3mm laminated glass
Hardware	China Brand

Optional Color






Product Data

Aluminum Thickness	3.0mm
Glass Panel	2483*541mm
Recommend Size	2488*2184mm
Wall Thickness	100mm/150mm
Standard Glass	Single 5mm /3mm+0.3pvb+3mm laminated glass
Hardware	China Brand

Optional Color







GARAGE DOOR PRODUCT DATA









Product Data

Aluminum Thickness	3.0mm
Grating Panel thickness 70mm	Material Thickness 1.2mm
Recommend Size	2488*2184mm
Wall Thickness	100mm/150mm
Standard Glass	Single 5mm/3mm+0.3pvb+3mm laminated glass
Hardware	China Brand



Optional Color

		
Black	White	Fluorocarbon Gray
		
Platinum Grey	Coffee	Champaign Gold

HIHAUS HOT SALE PRODUCTS

INTERIOR DOOR



Vertical fold up windows



Vertical pivot window



Double hung windows




Fix Louver



Picture window



Hopper window/top-hinged window



Skylight

Optional color please see last page

HIHAUS HOT SALE PRODUCTS

INTERIOR DOOR

HIHAUS



Interior Door



Sliding Barn Door



Interior Door



Pocket Sliding Door



HIHAUS HOT SALE PRODUCTS
INTERIOR DOOR & SHOWER DOOR

HIHAUS



Optional color please see last page

HIHAUS HOT SALE PRODUCTS
EXTERIOR DOOR SERIES

HIHAUS



Optional color please see last page

HIHAUS HOT SALE PRODUCTS

GLASS RAILINGS



U Channel Type Glass Railing

Aluminum u channel railing is specially designed for high-end hotels balconies and apartments we use high-quality laminated tempered glass and good accessories, which can be used for a long time.

HIHAUS



Glass Spigot Railing

The range features a spigot with base plate and core drill mounting and a range of covers to suit new design, convenient to install no holes are required to be drilled in to glass.



HIHAUS HOT SALE PRODUCTS









CURTAIN WALL

HIHAUS



HIHAUS HOT SALE PRODUCTS

OPENING MODE



HIHAUS

HOT SALE PRODUCTS AVAILABLE COLORS

Optional Color



White



Cream



Sandy/Matt Black



Shinning Black



Light Grey



Ivory Grey



Dark Coffee



Grey Wooden
Pattern



Golden Oak



Red Rosewood